Print this Calibration Test page first!


Size: Height: 165.00, Bust: 104.00, Waist: 82.50, Hips: 109.00
Pattern Name: Han-Inspired Dress

Notes

HOW TO PRINT

Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.

Taping

1. Group each sheet by the second number marked on each pate i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.

Pattern Name: Han-Inspired Dress

Size: Height: 165.00, Bust: 104.00, Waist: 82.50, Hips: 109.00

Seam Allowance: 1.00 (0.39 in)


Pattern pieces:


1, FRONT, MAIN FABRIC: Cut 2
2, BACK, MAIN FABRIC: Cut 1
3, SLEEVE, MAIN FABRIC: Cut 2
4, FRONT NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1
5, BACK NECK FACING, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1
6, BELT, MAIN FABRIC: Cut 2


Pattern Specs (Circumferences are divided by 2):

1. Hem max 3.00 (1.18 in)
2. Seam allowance max 2.00 (0.79 in)
3. Belt width 10.00 (3.94 in)
4. Belt length 318.00 (125.20 in)
5. Belt ends tapered angle 9.00 (3.54 in)
6. Seam allowance p max 1.50 (0.59 in)
7. Stretch factor 1.00 (0.39 in)
8. Stretch factor horizontal 1.00 (0.39 in)
9. Stretch factor vertical 1.00 (0.39 in)
10. Front neck drop 30.84 (12.14 in)
11. Front length from HPS to hem 127.13 (50.05 in)
12. Across chest 56.59 (22.28 in)
13. Center front length to hem 96.29 (37.91 in)
14. Center back length to hem 120.77 (47.55 in)
15. Across front 42.51 (16.74 in)
16. Across back 37.09 (14.60 in)
17. Across shoulders 42.71 (16.81 in)
18. Side seam 91.88 (36.17 in)
19. Waist 46.47 (18.30 in)
20. Hips 60.74 (23.91 in)
21. Hemline sweep 115.35 (45.41 in)
22. Armhole length front 26.60 (10.47 in)
23. Armhole length back 30.17 (11.88 in)
24. Neck opening 18.85 (7.42 in)
25. Neckline length 86.17 (33.93 in)
26. Back neck drop 3.08 (1.21 in)
27. Shoulder width 11.55 (4.55 in)
28. Bust dart to bust dart 25.59 (10.07 in)
29. Sleeve length 62.17 (24.48 in)
30. Sleeve upper arm width 36.46 (14.35 in)
31. Sleeve opening 64.50 (25.39 in)
32. Sleeve cap length 58.00 (22.83 in)

Paper Size: A0;
Print Actual Size (100% Scale);




1
FRONT
MAIN FABRIC: Cut 2
Han-Inspired Dress
4
FRONT NECK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
Han-Inspired Dress
5
BACK FACING
MAIN FABRIC: Cut 1
FUSIBLE INTERFACING: Cut 1
Han-Inspired Dress
CUT ON FOLD


4”x 4”
101.5mm x 101.5mm
If measurements are not correct, please re-print it with print settings set on Actual or 100% Scale

CUT ON FOLD


2


BACK

MAIN FABRIC: Cut 1

Han-Inspired Dress

1/2


EASE
3
SLEEVE
MAIN FABRIC: Cut 2
Han-Inspired Dress
2/1



6

BELT

MAIN FABRIC: Cut 2

Han-Inspired Dress

FOLD

